



EU Declaration of Conformity

UAB „Aradas ir Ko“, Pramonės str. 16, Alytus, LT-62175, Lithuania

Certifies that the products

- Windows, doors, sliding doors -
- Are suited for residential and industrial constructions -
- With characteristics which meet CE marking.

and satisfy
EN 14351-1 appendix ZA

Initial tests have been implemented in the following official sites:
Window Technical Institute in Rosenheim, Theodor-Gietl-Str. 7 - 9, 83026 Rosenheim, Deutschland
Magistratsabteilung 39 der VFA Wien, Rinnböckstraße 15, 1110 Wien, Österreich

2010.02.01

UAB „Aradas ir Ko“,



Declaration of performance

ESD/DOP-Nr.068 (2 layer of glass)

1. Product type identification code REHAU GENE0
2. Identification No GENE0-D/DK-0,6-0,52-0,04-35
3. Application Opening/tilting windows and glass walls for residential and non-residential construction
4. Manufacturer UAB "Aradas", registration number 301818042
Gamybos str. 12, LT-62175, Alytus
5. Authorised representative -
6. Performance assessment system 3
7. Conformity standard: EN 14351-1:2006 + A1:2010
8. Notified testing authority: ift Rosenheim NB-Nr. 0757, as the notified test laboratory, performed the initial tests of system 3 and provided the control and classification reports.

9. Basic characteristics:

Declared properties	Results	Harmonised technical specifications
Rain/water tightness	9A	EN 14351-1:2006 + A1:2010: 4.5
Dangerous substances	-	EN 14351-1:2006 + A1:2010: 4.6
Wind resistance	C5/B5	EN 14351-1:2006 + A1:2010: 4.2
Sound insulation [dB]	32 (-2;-5)	EN 14351-1:2006 + A1:2010: 4.11
Thermal conductivity coefficient [W/m ² K]	1,2	EN 14351-1:2006 + A1:2010: 4.12
Glazing properties: Light Transmittance (TL) Outdoor Reflectance (RLe) Transmittance (TE) Outdoor Reflectance (Ree) Solar Factor (g)	82 % 11 % 58 % 27 % 65 %	EN 410
Air penetration	4	EN 14351-1:2006 + A1:2010: 4.14
U value	Dimensions, mm	Value, W/m ² K
	1230x1480	1,2

-
10. The product properties under paragraphs 1 and 2 conform to the properties declaration No 9.

Declaration of performance

ESD/DOP-Nr.068 (3 layer of glass)

1. Product type identification code REHAU GENE0
2. Identification No GENE0-D/DK-0,6-0,52-0,04-35
3. Application Opening/tilting windows and glass walls for residential and non-residential construction
4. Manufacturer UAB "Aradas", registration number 301818042
Gamybos str. 12, LT-62175, Alytus
5. Authorised representative -
6. Performance assessment system 3
7. Conformity standard: EN 14351-1:2006 + A1:2010
8. Notified testing authority: ift Rosenheim NB-Nr. 0757, as the notified test laboratory, performed the initial tests of system 3 and provided the control and classification reports.

9. Basic characteristics:

Declared properties	Results	Harmonised technical specifications
Rain/water tightness	9A	EN 14351-1:2006 + A1:2010: 4.5
Dangerous substances	-	EN 14351-1:2006 + A1:2010: 4.6
Wind resistance	C5/B5	EN 14351-1:2006 + A1:2010: 4.2
Sound insulation [dB]	33 (-3;-7)	EN 14351-1:2006 + A1:2010: 4.11
Thermal conductivity coefficient [W/m ² K]	0.74	EN 14351-1:2006 + A1:2010: 4.12
Glazing properties: Light Transmittance (TL) Outdoor Reflectance (RLe) Transmittance (TE) Outdoor Reflectance (Ree) Solar Factor (g)	73 % 14 % 46 % 30 % 53 %	EN 410
Air penetration	4	EN 14351-1:2006 + A1:2010: 4.14
U value	Dimensions, mm	Value, W/m ² K
	1230x1480	0.74

-
10. The product properties under paragraphs 1 and 2 conform to the properties declaration No 9.