

Declaration of performance

ESD/DOP-No 002/CPR/2014.01.01

1. Product type identification code BT 70 AD
2. Identification No BT 70 AD-D/DK-0,6-0,54-0,04-34
3. Application Opening/tilting windows, doors and glass walls for residential and non-residential construction
4. Manufacturer UAB "Aradas ir ko", registration number 301818042
Gamybos str. 12, LT-62175, Alytus
5. Authorised representative -
6. Performance assessment system 3
7. Conformity standard: EN 14351-1:2006 + A1:2010
8. Notified testing authority: ift Rosenheim NB-Nr. 0757, as the notified test laboratory, performed the initial tests of system 3 and provided the control and classification reports.

9. Basic characteristics:

| Declared properties | Results | Harmonised technical specifications |
|---|------------|-------------------------------------|
| Rain/water tightness | E900 | EN 14351-1:2006 + A1:2010: 4.5 |
| Dangerous substances | - | EN 14351-1:2006 + A1:2010: 4.6 |
| Wind resistance | B5 | EN 14351-1:2006 + A1:2010: 4.2 |
| Bearing capacity of safety devices [N] | 350 | EN 14351-1:2006 + A1:2010: 4.8 |
| Sound insulation [dB] | 34 (-2;-6) | EN 14351-1:2006 + A1:2010: 4.11 |
| Thermal conductivity coefficient [W/m ² K] | 0,9 | EN 14351-1:2006 + A1:2010: 4.12 |

Radiative properties:

| | | |
|-----------------------------|-----|---------------------------------|
| General energy permeability | 54% | |
| Light transmission degree | 74% | EN 14351-1:2006 + A1:2010: 4.13 |
| Air penetration | 4 | EN 14351-1:2006 + A1:2010: 4.14 |

10. The product properties under paragraphs 1 and 2 conform to the properties declaration No 9.

On behalf of the manufacturer:
General Manager
Ugnius Adomaitis
Gamybos str. 12, LT-62175, Alytus



signature:

Declaration of performance

ESD/DOP-No 001/CPR/2014.01.01

1. Product type identification code BT 70 AD
2. Identification No BT 70 AD-D/DK-1,1-0,62-0,04-34
3. Application Opening/tilting windows, doors and glass walls for residential and non-residential construction
4. Manufacturer UAB "Aradas ir ko", registration number 301818042
Gamybos str. 12, LT-62175, Alytus
5. Authorised representative -
6. Performance assessment system 3
7. Conformity standard: EN 14351-1:2006 + A1:2010
8. Notified testing authority: ift Rosenheim NB-Nr. 0757, as the notified test laboratory, performed the initial tests of system 3 and provided the control and classification reports.

9. Basic characteristics:

| Declared properties | Results | Harmonised technical specifications |
|---|------------|-------------------------------------|
| Rain/water tightness | E900 | EN 14351-1:2006 + A1:2010: 4.5 |
| Dangerous substances | - | EN 14351-1:2006 + A1:2010: 4.6 |
| Wind resistance | B5 | EN 14351-1:2006 + A1:2010: 4.2 |
| Bearing capacity of safety devices [N] | 350 | EN 14351-1:2006 + A1:2010: 4.8 |
| Sound insulation [dB] | 34 (-2;-5) | EN 14351-1:2006 + A1:2010: 4.11 |
| Thermal conductivity coefficient [W/m ² K] | 1,3 | EN 14351-1:2006 + A1:2010: 4.12 |

Radiative properties:

| | | |
|-----------------------------|-----|---------------------------------|
| General energy permeability | 62% | |
| Light transmission degree | 82% | EN 14351-1:2006 + A1:2010: 4.13 |
| Air penetration | 4 | EN 14351-1:2006 + A1:2010: 4.14 |

10. The product properties under paragraphs 1 and 2 conform to the properties declaration No 9.

On behalf of the manufacturer:
General Manager
Ugnius Adomaitis
Gamybos str. 12, LT-62175, Alytus

